Neuroscience Letters, 223 (1997) 206–208
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abreu, P., see Moujir, F., 77
Ahn, H., see Huh, Y., 157
Aihara, M., see Mori, M., 185
Alleva, E., see Fiore, M., 161
Aloe, L., see Fiore, M., 161
Aoki, M., see Sato, Y., 181
Avenet, P., Léonardon, J., Besnard, F., Graham, D., Depoortere, H., Scatton, B., Antagonist properties of eliprodil and other NMDA receptor antagonists at rat NR1A/NR2A and NR1A/NR2B receptors expressed in *Xenopus* oocytes, 133

Baba, A., see Koyama, Y., 65
Ben-Ari, Y., see Rafiki, A., 137
Besnard, F., see Avenet, P., 133
Beuten, J., De Vriendt, E., De Jonghe, P., Martin, J.-J., Van Broeckhoven, C., Timmerman, V., Mutation analysis of the human pancreatic phospholipase A_2 gene in a family with distal hereditary motor neuropathy type II linked to 12q24, 69
Biella, G., see Sotgiu, M.L., 101
Boix, J., see Sanz-Rodriguez, C., 141
Bolton, P.S., see Brophy, G.M., 189
Bonato, C., see Tinazzi, M., 21
Botto, J.-M., Guillemare, E., Vincent, J.-P., Mazella, J., Effects of SR 48692 on neurotensin-induced calcium-activated chloride currents in the *Xenopus* oocyte expression system: agonist-like activity on the levocabastine-sensitive neurotensin receptor and absence of antagonist effect on the levocabastine insensitive neurotensin receptor, 193
Brophy, G.M., Rossiter, C.D., Bolton, P.S., Yates, B.J., Vestibular influences on cat lumbar paravertebral muscles, 189
Byrnes, J.J., Wallace, L.J., Amphetamine-induced sensitization and release of dopamine in slices from the ventral tegmental area of rats is enhanced following administration of cholera toxin into the ventral tegmental area, 45

Čada, A., see de la Torre, J.C., 165
Calzolari, S., see Dell'Anna, E., 201
Cameron, W.E., see Núñez-Abades, P.A., 41
Card, J.P., see Sugaya, K., 197
Carrive, P., Kehoe, E.J., Macrae, M., Paxinos, G., Fos-like immunoreactivity in locus coeruleus after classical conditioning of the rabbit's nictitating membrane response, 33
Chang, A.H., see King, M.A., 113
Chiou, A.L., see Liu, D.M., 145
Clarnette, R., see Taddei, K., 29
Clayton, N.S., see Fiore, M., 161
Comella, J.X., see Sanz-Rodriguez, C., 141
Crowder, R., see Samuel, W., 73
Cui, J.-G., Sollevi, A., Linderoth, B., Meyerson, B.A., Adenosine receptor activation suppresses tactile hypersensitivity and potentiates spinal cord stimulation in mononeuropathic rats, 173

Das, N., Ghosh, S., Modulation of cerebral calcium homeostasis in rats by angiotensin II in vivo, 149
Davis, G., see de la Torre, J.C., 165
de Groat, W.C., see Sugaya, K., 197
De Jonghe, P., see Beuten, J., 69
de la Torre, J.C., Čada, A., Nelson, N., Davis, G., Sutherland, R.J., Gonzalez-Lima, F., Reduced cytochrome oxidase and memory dysfunction after chronic brain ischemia in aged rats, 165
De Vriendt, E., see Beuten, J., 69
Del Bigio, M.R., see Sidhu, R.S., 129
Delay, E.R., see Sañudo-Peña, M.C., 125
Dell'Anna, E., Iuvone, L., Calzolari, S., Geloso, M.C., Effect of acetyl-L-carnitine on hyperactivity and spatial memory deficits of rats exposed to neonatal anoxia, 201
Depoortere, H., see Avenet, P., 133
Dostert, P., see Maruyama, W., 61
Dufourny, L., Warembourg, M., Jolivet, A., Sex differences in estradiol-induced progestin receptor immunoreactivity in the guinea pig preoptic area and hypothalamus, 109

Elliott, K.J., see Gorman, A.L., 5

Fallgatter, A.J., Strik, W.K., Right frontal activation during the continuous performance test assessed with near-infrared spectroscopy in healthy subjects, 89
Feinstein, D.L., Rozelman, E., Norepinephrine suppresses L-arginine uptake in rat glial cells, 37
Fiaschi, A., see Tinazzi, M., 21
Fiore, M., Patel, S.N., Alleva, E., Aloe, L., Clayton, N.S., Nerve growth factor effects on the song control system of zebra finches, 161
Force, M., see Sañudo-Peña, M.C., 125

Gandy, S.E., see Taddei, K., 29
Geloso, M.C., see Dell'Anna, E., 201
Ghosh, S., see Das, N., 149
Godukhin, O., see Semyanov, A., 177
Gonzalez-Lima, F., see de la Torre, J.C., 165
Gorman, A.L., Elliott, K.J., Inturrisi, C.E., The *d*- and *l*- isomers of methadone bind to the non-competitive site on the *N*-methyl-D-aspartate (NMDA) receptor in rat forebrain and spinal cord, 5
Gozlan, H., see Rafiki, A., 137
Graham, D., see Avenet, P., 133
Guillemare, E., see Botto, J.-M., 193

Hanamori, T., see Ishizuka, Y., 57
Hansen, L., see Samuel, W., 73
Hao, J.-X., Wiesenfeld-Hallin, Z., Xu, X.-J., Lack of cross-tolerance between the antinociceptive effect of intrathecal orphanin FQ and morphine in the rat, 49
Hashizume, Y., see Maruyama, W., 61
Heinemann, U., see Müller, W., 81
Heppelmann, B., Pawlak, M., Sensitisation of articular afferents in normal and inflamed knee joints by substance P in the rat, 97
Hernández, F.J., see Moujir, F., 77
Hirota, K., Lambert, D.G., A comparative study of L-type voltage sensitive Ca^{2+} channels in rat brain regions and cultured neuronal cells, 169
Hochman, S., see MacDonald, S.C., 85
Hofstetter, C.R., see Samuel, W., 73
Hohman, A.G., see Sañudo-Peña, M.C., 125
Houchi, H., see Minakuchi, K., 17
Htain, W.W., Leong, S.-K., Ling, E.-A., In vivo expression of inducible nitric oxide synthase in supraventricular amoeboid microglial cells in neonatal BALB/c and athymic mice, 53
Huh, Y., Kim, C., Lee, W., Kim, J., Ahn, H., Age-related change in the neuropeptide Y and NADPH-diaphorase-positive neurons in the cerebral cortex and striatum of aged rats, 157

Neuroscience Letters, 223 (1997) 206–208
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abreu, P., see Moujir, F., 77
Ahn, H., see Huh, Y., 157
Aihara, M., see Mori, M., 185
Alleva, E., see Fiore, M., 161
Aloe, L., see Fiore, M., 161
Aoki, M., see Sato, Y., 181
Avenet, P., Léonardon, J., Besnard, F., Graham, D., Depoortere, H., Scatton, B., Antagonist properties of eliprodil and other NMDA receptor antagonists at rat NR1A/NR2A and NR1A/NR2B receptors expressed in *Xenopus* oocytes, 133

Baba, A., see Koyama, Y., 65
Ben-Ari, Y., see Rafiki, A., 137
Besnard, F., see Avenet, P., 133
Beuten, J., De Vriendt, E., De Jonghe, P., Martin, J.-J., Van Broeckhoven, C., Timmerman, V., Mutation analysis of the human pancreatic phospholipase A_2 gene in a family with distal hereditary motor neuropathy type II linked to 12q24, 69
Biella, G., see Sotgiu, M.L., 101
Boix, J., see Sanz-Rodriguez, C., 141
Bolton, P.S., see Brophy, G.M., 189
Bonato, C., see Tinazzi, M., 21
Botto, J.-M., Guillemare, E., Vincent, J.-P., Mazella, J., Effects of SR 48692 on neurotensin-induced calcium-activated chloride currents in the *Xenopus* oocyte expression system: agonist-like activity on the levocabastine-sensitive neurotensin receptor and absence of antagonist effect on the levocabastine insensitive neurotensin receptor, 193
Brophy, G.M., Rossiter, C.D., Bolton, P.S., Yates, B.J., Vestibular influences on cat lumbar paravertebral muscles, 189
Byrnes, J.J., Wallace, L.J., Amphetamine-induced sensitization and release of dopamine in slices from the ventral tegmental area of rats is enhanced following administration of cholera toxin into the ventral tegmental area, 45

Čada, A., see de la Torre, J.C., 165
Calzolari, S., see Dell'Anna, E., 201
Cameron, W.E., see Núñez-Abades, P.A., 41
Card, J.P., see Sugaya, K., 197
Carrive, P., Kehoe, E.J., Macrae, M., Paxinos, G., Fos-like immunoreactivity in locus coeruleus after classical conditioning of the rabbit's nictitating membrane response, 33
Chang, A.H., see King, M.A., 113
Chiou, A.L., see Liu, D.M., 145
Clarnette, R., see Taddei, K., 29
Clayton, N.S., see Fiore, M., 161
Comella, J.X., see Sanz-Rodriguez, C., 141
Crowder, R., see Samuel, W., 73
Cui, J.-G., Sollevi, A., Linderoth, B., Meyerson, B.A., Adenosine receptor activation suppresses tactile hypersensitivity and potentiates spinal cord stimulation in mononeuropathic rats, 173

Das, N., Ghosh, S., Modulation of cerebral calcium homeostasis in rats by angiotensin II in vivo, 149
Davis, G., see de la Torre, J.C., 165
de Groat, W.C., see Sugaya, K., 197
De Jonghe, P., see Beuten, J., 69
de la Torre, J.C., Čada, A., Nelson, N., Davis, G., Sutherland, R.J., Gonzalez-Lima, F., Reduced cytochrome oxidase and memory dysfunction after chronic brain ischemia in aged rats, 165
De Vriendt, E., see Beuten, J., 69
Del Bigio, M.R., see Sidhu, R.S., 129
Delay, E.R., see Sañudo-Peña, M.C., 125
Dell'Anna, E., Iuvone, L., Calzolari, S., Geloso, M.C., Effect of acetyl-L-carnitine on hyperactivity and spatial memory deficits of rats exposed to neonatal anoxia, 201
Depoortere, H., see Avenet, P., 133
Dostert, P., see Maruyama, W., 61
Dufourny, L., Warembourg, M., Jolivet, A., Sex differences in estradiol-induced progestin receptor immunoreactivity in the guinea pig preoptic area and hypothalamus, 109

Elliott, K.J., see Gorman, A.L., 5

Fallgatter, A.J., Strik, W.K., Right frontal activation during the continuous performance test assessed with near-infrared spectroscopy in healthy subjects, 89
Feinstein, D.L., Rozelman, E., Norepinephrine suppresses L-arginine uptake in rat glial cells, 37
Fiaschi, A., see Tinazzi, M., 21
Fiore, M., Patel, S.N., Alleva, E., Aloe, L., Clayton, N.S., Nerve growth factor effects on the song control system of zebra finches, 161
Force, M., see Sañudo-Peña, M.C., 125

Gandy, S.E., see Taddei, K., 29
Geloso, M.C., see Dell'Anna, E., 201
Ghosh, S., see Das, N., 149
Godukhin, O., see Semyanov, A., 177
Gonzalez-Lima, F., see de la Torre, J.C., 165
Gorman, A.L., Elliott, K.J., Inturrisi, C.E., The *d*- and *l*- isomers of methadone bind to the non-competitive site on the *N*-methyl-D-aspartate (NMDA) receptor in rat forebrain and spinal cord, 5
Gozlan, H., see Rafiki, A., 137
Graham, D., see Avenet, P., 133
Guillemare, E., see Botto, J.-M., 193

Hanamori, T., see Ishizuka, Y., 57
Hansen, L., see Samuel, W., 73
Hao, J.-X., Wiesenfeld-Hallin, Z., Xu, X.-J., Lack of cross-tolerance between the antinociceptive effect of intrathecal orphanin FQ and morphine in the rat, 49
Hashizume, Y., see Maruyama, W., 61
Heinemann, U., see Müller, W., 81
Heppelmann, B., Pawlak, M., Sensitisation of articular afferents in normal and inflamed knee joints by substance P in the rat, 97
Hernández, F.J., see Moujir, F., 77
Hirota, K., Lambert, D.G., A comparative study of L-type voltage sensitive Ca^{2+} channels in rat brain regions and cultured neuronal cells, 169
Hochman, S., see MacDonald, S.C., 85
Hofstetter, C.R., see Samuel, W., 73
Hohman, A.G., see Sañudo-Peña, M.C., 125
Houchi, H., see Minakuchi, K., 17
Htain, W.W., Leong, S.-K., Ling, E.-A., In vivo expression of inducible nitric oxide synthase in supraventricular amoeboid microglial cells in neonatal BALB/c and athymic mice, 53
Huh, Y., Kim, C., Lee, W., Kim, J., Ahn, H., Age-related change in the neuropeptide Y and NADPH-diaphorase-positive neurons in the cerebral cortex and striatum of aged rats, 157

Inturrisi, C.E., see Gorman, A.L., 5
Ishida, Y., see Ishizuka, Y., 57
Ishimura, Y., see Minakuchi, K., 17
Ishizuka, Y., Ishida, Y., Kunitake, T., Kato, K., Hanamori, T., Mitsuyama, Y., Kannan, H., Effects of area postrema lesion and abdominal vagotomy on interleukin-1β-induced norepinephrine release in the hypothalamic paraventricular nucleus region in the rat, 57
Iuvone, L., see Dell'Anna, E., 201

Jolivet, A., see Dufourny, L., 109

Kannan, H., see Ishizuka, Y., 57
Kato, K., see Ishizuka, Y., 57
Kaur, S., Saxena, R.N., Mallick, B.N., GABA in locus coeruleus regulates spontaneous rapid eye movement sleep by acting on $GABA_A$ receptors in freely moving rats, 105
Kehoe, E.J., see Carrive, P., 33
Kempski, B., see Volk, C., 121
Kempski, O.S., see Volk, C., 121
Khrestchatisky, M., see Rafiki, A., 137
Kim, C., see Huh, Y., 157
Kim, J., see Huh, Y., 157
Kimura, Y., see Koyama, Y., 65
King, M.A., Rossi, G.C., Chang, A.H., Williams, L., Pasternak, G.W., Spinal analgesic activity of orphanin FQ/nociceptin and its fragments, 113
Kinoshita, A., see Li, H., 153
Knoll, W., see Offenhäusser, A., 9
Kondo, H., see Owada, Y., 25
Koyama, Y., Kimura, Y., Baba, A., Induction of glutamine synthetase by L-α-aminoadipate in developmental stages of cultured astrocytes, 65
Kunitake, T., see Ishizuka, Y., 57

Lambert, D.G., see Hirota, K., 169
Lee, W., see Huh, Y., 157
Léonardon, J., see Avenet, P., 133
Leong, S.-K., see Htain, W.W., 53
Li, H., Ohishi, H., Kinoshita, A., Shigemoto, R., Nomura, S., Mizuno, N., Localization of a metabotropic glutamate receptor, mGluR7, in axon terminals of presumed nociceptive, primary afferent fibers in the superficial layers of the spinal dorsal horn: an electron microscope study in the rat, 153
Linderoth, B., see Cui, J.-G., 173
Ling, E.-A., see Htain, W.W., 53
Liu, D.M., Wu, J.N., Chiou, A.L., Liu, J.Y., Wang, Y., NMDA induces NO release from primary cell cultures of human fetal cerebral cortex, 145
Liu, J.Y., see Liu, D.M., 145
Lu, L., see Stanwood, G.D., 13

MacDonald, S.C., Hochman, S., A variation of the tissue print technique for studying isolated spinal cord cells in situ, 85
Macrae, M., see Carrive, P., 33
Magoul, R., Tramu, G., Tachykinin-induced changes in β-endorphin gene expression in the rat arcuate nucleus, 93
Mallick, B.N., see Kaur, S., 105
Manganotti, P., see Tinazzi, M., 21
Martin, J.-J., see Beuten, J., 69
Martins, R.N., see Taddei, K., 29
Maruyama, W., Sobue, G., Matsubara, K., Hashizume, Y., Dostert, P., Naoi, M., A dopaminergic neurotoxin, 1(*R*), 2(*N*)-dimethyl-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, *N*-methyl(*R*)salsolinol, and its oxidation product, 1,2(*N*)-dimethyl-6,7-dihydroxyisoquinolinium ion, accumulate in the nigro-striatal system of the human brain, 61
Matsubara, K., see Maruyama, W., 61
Matsuzawa, M., see Offenhäusser, A., 9
Mazella, J., see Botto, J.-M., 193
McElligot, S., see Stanwood, G.D., 13
McGonigle, P., see Stanwood, G.D., 13
Medina, I., see Rafiki, A., 137
Meyerson, B.A., see Cui, J.-G., 173
Minakuchi, K., Houchi, H., Yoshizumi, M., Ishimura, Y., Morita, K., Takasugi, M., Oka, M., Tamaki, T., Serotonin increases Na^+-dependent Ca^{2+} efflux from bovine adrenal chromaffin cells in culture, 17
Mitsuyama, Y., see Ishizuka, Y., 57
Mizuno, N., see Li, H., 153
Mori, M., Aihara, M., Shimizu, T., Differential expression of somatostatin receptors in the rat eye: SSTR4 is intensely expressed in the iris/ciliary body, 185
Morita, K., see Minakuchi, K., 17
Moujir, F., Santana, C., Hernández, F.J., Reiter, R.J., Abreu, P., Daily time course of the contents in monoamines and their metabolites in the pineal gland of Syrian hamster, 77
Müller, W., Heinemann, U., Schuchmann, S., Impaired Ca-signaling in astrocytes from the Ts16 mouse model of Down syndrome, 81

Naoi, M., see Maruyama, W., 61
Nelson, N., see de la Torre, J.C., 165
Nomura, S., see Li, H., 153
Núñez-Abades, P.A., Cameron, W.E., Relationship between membrane properties and cell size of developing rat genioglossal motoneurons studied in vitro, 41

Offenhäusser, A., Sprössler, C., Matsuzawa, M., Knoll, W., Electrophysiological development of embryonic hippocampal neurons from the rat grown on synthetic thin films, 9
Ohishi, H., see Li, H., 153
Oka, M., see Minakuchi, K., 17
Owada, Y., Utsunomiya, A., Yoshimoto, T., Kondo, H., Changes in gene expression for skin-type fatty acid binding protein in hypoglossal motor neurons following nerve crush, 25

Pasternak, G.W., see King, M.A., 113
Patel, S.N., see Fiore, M., 161
Pawlak, M., see Heppelmann, B., 97
Paxinos, G., see Carrive, P., 33
Pedemonte, M., Peña, J.L., Torterolo, P., Velluti, R.A., Auditory deprivation modifies sleep in the guinea-pig, 1
Peña, J.L., see Pedemonte, M., 1
Polo, A., see Tinazzi, M., 21

Rafiki, A., Gozlan, H., Ben-Ari, Y., Khrestchatisky, M., Medina, I., The calcium-dependent transient inactivation of recombinant NMDA receptor-channel does not involve the high affinity calmodulin binding site of the NR1 subunit, 137
Reiter, R.J., see Moujir, F., 77
Roppolo, J.R., see Sugaya, K., 197
Rossi, G.C., see King, M.A., 113
Rossiter, C.D., see Brophy, G.M., 189
Rozelman, E., see Feinstein, D.L., 37

Samuel, W., Crowder, R., Hofstetter, C.R., Hansen, L., Neuritic plaques in the Lewy body variant of Alzheimer disease lack paired helical filaments, 73
Santana, C., see Moujir, F., 77
Sañudo-Peña, M.C., Tsou, K., Delay, E.R., Hohman, A.G., Force, M., Walker, J.M., Endogenous cannabinoids as an aversive or counter-rewarding system in the rat, 125
Sanz-Rodriguez, C., Boix, J., Comella, J.X., Cytosine arabinoside is neurotoxic to chick embryo spinal cord motoneurons in culture, 141
Sato, Y., Aoki, M., Regional differences in the depressant effects of midazolam on excitatory synaptic transmission in the rat hippocampus, 181
Saxena, R.N., see Kaur, S., 105
Scatton, B., see Avenet, P., 133
Schuchmann, S., see Müller, W., 81
Semyanov, A., Godukhin, O., Kindling-like state in rat hippocampal CA1 slices induced by the repeated short-term extracellular K^+ increases: the role of L-type Ca^{2+}-channels, 177
Shigemoto, R., see Li, H., 153
Shimizu, T., see Mori, M., 185
Sidhu, R.S., Tuor, U.I., Del Bigio, M.R., Nuclear condensation and fragmentation following cerebral hypoxia-ischemia occurs more frequently in immature than older rats, 129
Sobue, G., see Maruyama, W., 61
Sollevi, A., see Cui, J.-G., 173
Sotgiu, M.L., Biella, G., Role of input from saphenous afferents in altered spinal processing of noxious signal that follows sciatic nerve constriction in rats, 101
Sprössler, C., see Offenhäusser, A., 9
Stanwood, G.D., McElligot, S., Lu, L., McGonigle, P., Ontogeny of dopamine D3 receptors in the nucleus accumbens of the rat, 13
Strik, W.K., see Fallgatter, A.J., 89
Sugaya, K., Roppolo, J.R., Yoshimura, N., Card, J.P., de Groat, W.C., The central neural pathways involved in micturition in the neonatal rat as revealed by the injection of pseudorabies virus into the urinary bladder, 197
Sutherland, R.J., see de la Torre, J.C., 165
Suzuki, H., see Yamamoto, T., 117

Taddei, K., Clarnette, R., Gandy, S.E., Martins, R.N., Increased plasma apolipoprotein E (apoE) levels in Alzheimer's disease, 29
Takasugi, M., see Minakuchi, K., 17
Tamaki, T., see Minakuchi, K., 17
Testoni, R., see Tinazzi, M., 21
Timmerman, V., see Beuten, J., 69
Tinazzi, M., Zanette, G., Polo, A., Volpato, D., Manganotti, P., Bonato, C., Testoni, R., Fiaschi, A., Transient deafferentation in humans induces rapid modulation of primary sensory cortex not associated with subcortical changes: a somatosensory evoked potential study, 21
Torterolo, P., see Pedemonte, M., 1
Tramu, G., see Magoul, R., 93
Tsou, K., see Sañudo-Peña, M.C., 125
Tuor, U.I., see Sidhu, R.S., 129

Uemura, H., see Yamamoto, T., 117
Utsunomiya, A., see Owada, Y., 25

Van Broeckhoven, C., see Beuten, J., 69
Velluti, R.A., see Pedemonte, M., 1
Vincent, J.-P., see Botto, J.-M., 193
Volk, C., Kempski, B., Kempski, O.S., Inhibition of lactate export by quercetin acidifies rat glial cells in vitro, 121
Volpato, D., see Tinazzi, M., 21

Walker, J.M., see Sañudo-Peña, M.C., 125
Wallace, L.J., see Byrnes, J.J., 45
Wang, Y., see Liu, D.M., 145
Warembourg, M., see Dufourny, L., 109
Wiesenfeld-Hallin, Z., see Hao, J.-X., 49
Williams, L., see King, M.A., 113
Wu, J.N., see Liu, D.M., 145

Xu, X.-J., see Hao, J.-X., 49

Yamamoto, T., Suzuki, H., Uemura, H., Endothelin B receptor-like immunoreactivity is associated with LHRH-immunoreactive fibers in the rat hypothalamus, 117
Yates, B.J., see Brophy, G.M., 189
Yoshimoto, T., see Owada, Y., 25
Yoshimura, N., see Sugaya, K., 197
Yoshizumi, M., see Minakuchi, K., 17

Zanette, G., see Tinazzi, M., 21